



APPLICATION

SLAYSON® Cable Glands (also known as cord grips) provide watertight, dustproof, and strain-resistant cable entry for electrical enclosures. Designed for easy self-installation, they ensure a secure seal on cables and conduits ranging from 3.00 mm (1/8") to 70.00 mm (2 3/4"), maintaining IP68-rated protection, even in submerged environments.

SLAYSON® Cable Glands provide the ultimate protection for high-performance enclosures, ensuring secure and watertight cable entry in any industrial setting.

ENCLOSURE APPLICABILITY

- ALL ENCLOSURES

ACCESSORY CODE: *

*Customer Modification Code is required when the Accessory component selected requires any of the following:

- Enclosure cutouts, through holes or penetrations
- Customer involved design for accessory placement

This code is added in front of the part number by SLAYSON to provide a unique identifier for the customer specific engineering data.

SPECIFICATIONS

- Watertight IP68 Cable Glands
- Marine Grade Stainless Steel
- Suitable for Prolonged Submersion
- NBR Seal
- Nylon Clamp Insert
- High Protection from Corrosion
- Watertight & Airtight Sealing
- Easy Installation

MATERIAL

Stainless Steel

KEY FUNCTIONS & BENEFITS

- Watertight seal protects against water, dust, and contaminants for submersible and outdoor applications.
- Secure cable entry provides a firm grip on cables, ensuring zero movement or dislodgement.
- Prevents cables from being pulled, twisted, or damaged, maintaining electrical integrity.
- Quick, tool-free fitting onto a wide range of SLAYSON enclosures.
- Built from high-quality, corrosion-resistant materials for long-term reliability.

PART NUMBER	Thread Type	Entry Size Range	Entry Size Range	Material
		mm	in	
CGS1206-16	M12 x 1.5	3.00- 6.00mm	0.11- 0.23 in	Stainless Steel
CGS1406-16	M14 x 1.5	3.00- 6.00mm	0.11- 0.23 in	Stainless Steel
CGS1608-16	M16 x 1.5	4.00- 8.00mm	0.15- 0.31 in	Stainless Steel
CGS1810-16	M18 x 1.5	6.00- 10.00mm	0.23- 0.39 in	Stainless Steel
CGS2012-16	M20 x 1.5	8.00- 12.00mm	0.31- 0.47 in	Stainless Steel
CGS2214-16	M22 x 1.5	10.00- 14.00mm	0.39- 0.55 in	Stainless Steel
CGS2414-16	M24 x 1.5	10.00- 14.00mm	0.39- 0.55 in	Stainless Steel
CGS2514-16	M25 x 1.5	10.00- 14.00mm	0.39- 0.55 in	Stainless Steel
CGS2518-16	M25 x 1.5	13.00- 18.00mm	0.51- 0.7 in	Stainless Steel
CGS3222-16	M32 x 1.5	15.00- 22.00mm	0.59- 0.86 in	Stainless Steel
CGS2718-16	M27 x 2	13.00- 18.00mm	0.51- 0.7 in	Stainless Steel
CGS3018-16	M30 x 2	13.00- 18.00mm	0.51- 0.7 in	Stainless Steel
CGS3322-16	M32 x 2	15.00- 22.00mm	0.59- 0.86 in	Stainless Steel
CGS3625-16	M36 x 2	18.00- 25.00mm	0.51- 0.98 in	Stainless Steel
CGS4025-16	M40x1.5	18.00- 25.00mm	0.51- 0.98 in	Stainless Steel
CGS5032-16	M50 x 1.5	26.00- 32.00mm	1.02- 1.25 in	Stainless Steel
CGS6344-16	M63 x 1.5	37.00- 44.00mm	1.45- 1.73 in	Stainless Steel
CGS4228-16	M42 x 2	22.00- 28.00mm	0.86- 1.1 in	Stainless Steel
CGS4832-16	M48 x 2	25.00- 32.00mm	0.98- 1.25 in	Stainless Steel
CGS5438-16	M54 x 2	32.00- 38.00mm	1.25- 1.49 in	Stainless Steel
CGS6044-16	M60 x 2	37.00- 44.00mm	1.45- 1.73 in	Stainless Steel
CGS7252-16	M72 x 2	42.00- 52.00mm	1.65- 2.04 in	Stainless Steel
CGS8060-16	M80 x 2	50.00- 60.00mm	1.96- 2.36 in	Stainless Steel
CGS8870-16	M88 x 2	62.00- 70.00mm	2.44- 2.75 in	Stainless Steel